


Seasonal Condition (Agricultural Drought) Monitoring Telangana State



Report for
Month of August 2019



TELANGANA STATE REMOTE SENSING APPLICATIONS CENTRE
Planning Department, Government of Telangana



Team

Telangana State Remote Sensing Applications Centre (TRAC)

Sri K. Ramakrishna Rao, IAS

Principal Secretary (Finance and Planning)
Government of Telangana
Director General (TRAC)

Dr. G. Sreenivasa Reddy

Addl. Director General

Dr. J. Ramana Murthy

Technical Adviser

Sri. G. Mehar Baba

Technical Adviser

Dr. M. Kavitha

Assistant Scientific Officer

Sri. A. Kamalakar Reddy

Assistant Scientific Officer

Sri. N. Narender

Scientific Assistant

Acknowledgement



We take this opportunity to express our sincere thanks to Directorate of Economics and Statistics, Telangana State Developing Planning Society, and India Meteorological Department for providing rainfall data. We also express our gratitude to Department of Agriculture and Irrigation Department for sharing progress of crop sowings and reservoir water levels data respectively for integrated seasonal condition monitoring of the state.

HIGHLIGHTS

INTEGRATED SEASONAL CONDITION MONITORING SYSTEM (ISMS) - TELANGANA


Cumulative Report June 01st to 31st August, 2019

- Seasonal condition is categorised as “**Normal**” in **348** Mandals as on date 31st August 2019
- Seasonal condition is categorised as “**Watch**” in **197** Mandals as on date 31st August 2019
- Seasonal condition is categorised as “**Alert**” in **44** Mandals as on date 31st August 2019



Seasonal Condition Month of August 2019

Rainfall from 1st June to 31st August 2019



Rainfall 01st June to 31st August, 2019

- **205** Mandals out of 589 (**35%**) of state received **Deficient** rainfall. **39** Mandals (**7%**) of the state received **Excess** rainfall. **6** Mandals (**1%**) of the state received **Large Deficient** rainfall. **4** Mandals (**1%**) of the state received **Large Excess** rainfall.

- **335** Mandals (**57%**) have received **Normal** rainfall respectively.

Seasonal condition of Telangana Month of August 2019

CONTENTS

S. No.	Description	Page No
1	Background and Rationale	1
2	Data used, Indicators and Methodology	3
3	Present status up to Month of August 2019	8
3.1	Vegetation Index	8
3.2	Surface Wetness Indicators	13
3.3	District Wise NDVI / NDWI / VCI Status	18
3.4	Rainfall data	19
3.5	Dry Spell	25
3.6	Drought situation of Mandals	29
3.7	Reservoir Water Levels	32
3.8	Crop Sowing Progress	33
4	References	36

List of Tables

Table No.	Description	Page No
1	Classification of agricultural situation	3
2	Data source and indicators	3
3	District wise NDVI / NDWI / VCI Status	18
4	Rainfall status as on 31 st August 2019	19
5	Mandal wise Dry Spells	27
6	Mandals under Watch and Alert category based on ISMS criteria	30
7	Reservoir water levels	32
8	District Wise Crop Sowing Area - Up to the week ending 28-08-2019	34

List of Figures

Figure No.	Description	Page. No
1	Location of Automatic Weather Stations	2
2	Flow chart of drought assessment methodology	6
3	NDVI - MODIS: Month of August 2019	8
4	NDVI - MODIS, Fortnightly agricultural situation from August 2019 and 2013	9
5	NDVI - MODIS, Yearly agricultural situation from August 2019, 2018 and 2017	10
6	MODIS, Monthly agricultural situation from June, July and August 2019	11
7	NDVI Deviation (MODIS - 250m), Month of August 2019 w.r.t. 2013	12
8	NDWI - MODIS: Month of August 2019	13
9	NDWI - MODIS, Fortnightly agricultural situation from August 2019 and 2013	14
10	NDWI - MODIS, Yearly agricultural situation from August 2019, 2018 and 2017	15
11	NDWI - MODIS, Monthly agricultural situation from June, July and August 2019	16
12	NDWI deviation (MODIS - 250m), Month of August 2019 w.r.t. 2013	17
13	Deviation of rainfall in percent w.r.t. normal from August 01 st to August 07 th , 2019	20
14	Deviation of rainfall in percent w.r.t. normal from August 01 st to August 15 th , 2019	21
15	Deviation of rainfall in percent w.r.t. normal from August 16 th to August 22 nd , 2019	22
16	Deviation of rainfall in percent w.r.t. normal from August 23 rd to August 31 st , 2019	23
17	Deviation of rainfall in percent w.r.t. normal from June 01 st to August 31 st , 2019	24
18	Dry spells from June 01 st to August 31 st , 2019	25
19	Dry spells With Rainfall Status from June 01 st to 31 st August, 2019	26
20	Mandal wise drought assessment based on ISMS criterion	29
21	District wise deviation from normal crop sown area as on date 28-08-2019	33
22	District wise deviation (graph) from normal crop sown area as on date 28-08-2019	35

Background and Rationale

Drought is a complex natural hazard. It is defined as any deficiency of water to satisfy the normal need to agriculture, livestock, industry, or human population. Drought assessment and monitoring is essential for the agricultural sector to take appropriate mitigation measures. Drought indices derived from satellite data play a major role in assessing the health and condition of the crops/vegetation.

National Agricultural Drought Assessment and Monitoring System (NADAMS) project of National Remote Sensing Centre (NRSC), Indian Space Research Organization (ISRO) established a remote sensing based drought assessment protocol utilizing the Normalized Difference Vegetation Index (NDVI) and Normalized Difference Water Index (NDWI). The Government of India has established Mahalanobis National Crop Forecast Centre (MNCFC) under Department of Agriculture and Cooperation, New Delhi for carrying out drought assessment at national level.

The Department of Agriculture and Cooperation, Government of India published a drought manual in 2016 which suggested parameters like rainfall deficiency, area under sowing, NDVI, NDWI, Moisture Adequacy Index (MAI) and other indicators to declare drought. State Government monitor drought by obtaining information from various sources on key variables of drought which include rainfall, reservoir / lake water levels, surface water / groundwater, soil moisture and sowing / crop conditions etc. The key variables for monitoring drought in Telangana are:

- Meteorological Data - Rainfall and other parameters like Temperature, Wind speed and Relative Humidity (AWS data)
- Weather forecast - Short, medium, extended range
- Soil Moisture (Moisture Adequate Index)
- Sown Area / Crop Health / Stress
- Satellite based Vegetation Index (NDVI/NDWI)
- Stream Flow - Discharge
- Groundwater Levels
- Reservoir and Lake Storage / Level
- Impacts - distress sale and migration of cattle, human migration, fodder availability, drinking water, animal health, employment opportunities in agriculture sector

An extensive weather observation network of 1044 Automatic Weather Stations (AWS) is established in Telangana. Telangana State Development Planning Society (TSDPS) monitors the data and maintains the networks. Figure 1 showing the location of AWS stations in Telangana.

Government of Telangana
Automatic Weather Stations (AWS)

4




Figure 1: Location of automatic weather stations

Telangana State Remote Sensing Applications Centre (TRAC) has established a protocol ***Integrated Seasonal Condition Monitoring System (ISMS)***. The objectives of the ISMS are

- *Concurrent monitoring of seasonal conditions using remote sensing, extensive weather network data and continuous ground truth.*
- *Develop an early warning (monitoring and forecasting) of drought using suite of indicators, which will help to increase drought preparedness, and identify and implement appropriate Disaster Risk Reduction (DRR) measures.*
- *Early warning to the Districts/Mandals.*

ISMS uses the rainfall data provided by Directorate of Economics & Statistics (DE&S), weekly progress of crop area sowings, groundwater level and its fluctuation, command and non-command area, water releases data, reservoir levels in addition to the Normalized Difference Vegetation Index (NDVI) and Normalized Difference Water Index (NDWI) based methodology of MNCFC. This output is verified through ground truth, additionally in context of the state specific drought declaration criteria. The agricultural situation is classified in three to four categories as per

the NRSC i.e. Normal, Watch, Alert for June to August and Normal, Mild, Moderate and Severe for September to October. The details of the classification of agricultural situation are given in Table 1.

Table. 1. Classification of agricultural situation

Duration	Condition	Description
July - August	Normal	<ul style="list-style-type: none"> • Agricultural situation is normal
	Watch	<ul style="list-style-type: none"> • Progress of agricultural situation is slow • Ample scope for recovery • No external intervention needed
	Alert	<ul style="list-style-type: none"> • Very slow progress of agricultural situation • Need for intervention. • Develop and implement contingency plans to minimise loss
September - October	Mild drought	<ul style="list-style-type: none"> • Crops have suffered stress slightly
	Moderate drought	<ul style="list-style-type: none"> • Considerable loss in production. • Take measures to alleviate suffering
	Severe	<ul style="list-style-type: none"> • High risk significant reduction in crop yield • Management measures to provide relief

1. Data used, Indicators and Methodology

2.1. Data used

Details of data used under project are discussed in Table 2.

Table. 2. Data source and indicators

Data source	Product	Indicators
MODIS (250/500m)	Surface reflectance	NDVI & NDWI
AWiFS	Surface reflectance	NDVI & NDWI
AWS/ DES	<ul style="list-style-type: none"> • Daily rainfall • Crop sown area • Crop cutting experiments 	<ul style="list-style-type: none"> • Rainfall deviation • Dry spells • Crop yield
Agriculture Department, GoTS	Weekly sowing progress	District wise sown areas deviation from normal
Irrigation Department, GoTS	Reservoir levels/ Water release data	Command area Mandals under canal irrigation

2.2. Indicators and Index

2.2.1. Rainfall data

In Telangana, South-West Monsoon is crucial for agriculture sector. ISMS use integrated (AWS+DES+IMD) Mandal wise rainfall data provided by Directorate of Economics & Statistics (DES). This data is used for computation of meteorological drought situation and to derive the mandal wise spatial distribution of rainfall in the state.

2.2.2. Reservoir water levels and water release - major and medium project

A scheme having Culturable Command Area (CCA) up to 2,000 hectares individually is classified as minor irrigation scheme. A scheme having CCA more than 2,000 hectares and up to 10,000 hectares individually is a medium irrigation scheme. A scheme having CCA more than 10,000 hectares is major irrigation scheme. In Telangana, water is released during Kharif season to major and medium command areas.

2.2.3. Crop sowing progress

Weekly crop sowing progress reports are taken from 'Season and Crop Coverage Report-Kharif 2019' of Commissioner of Agriculture, Telangana. The report includes current status of Weather condition, Water level, Crop sowing and Agricultural Operations.

2.2.4. Vegetation index

The crop/vegetation reflects high energy in the near infrared band due its canopy geometry and health of the standing crops/vegetation and absorbs high in the red band due to its biomass and photosynthesis. Uses of these contrast characteristics of vegetation in near infrared and red bands indicate both the health and condition of the crops/vegetation. Normalised Difference Vegetation Index (NDVI) is widely used for operational drought assessment because of its simplicity in calculation, easy to interpret and its ability to partially compensate for the effects of atmosphere, illumination geometry etc., (Malingreau 1986, Tucker and Chowdhary 1987, Kogan 1995). NDVI is derived by the difference of these measurements and divided by their sum.

$$NDVI = \frac{(NIR - Red)}{(NIR + Red)}$$

The vegetation index is generated from each of the available satellite data irrespective of the cloud cover present. To minimize the cloud, monthly time composite vegetation index is generated.

2.2.5. Surface wetness indicator

Shortwave Infrared (SWIR) band is sensitive to moisture available in soil as well as in crop canopy. In the beginning of the cropping season, soil background is dominant hence SWIR is sensitive to soil moisture in the top 1-2 cm. As the crop progresses, SWIR becomes sensitive to leaf moisture content. SWIR band provides only surface wetness information. When the crop is grown-up, SWIR response is only from canopy and not from the underlying soil. NDWI using SWIR can complement NDVI for drought assessment particularly in the beginning of the cropping season. NDWI is derived as under;

$$NDWI = \frac{(NIR - SWIR)}{(NIR + SWIR)}$$

Higher values of NDWI signify more surface wetness. The wetness index is generated from each of the available satellite data irrespective of the cloud cover present. To minimize the cloud, monthly time composite wetness index is generated.

2.2.6. Vegetation condition index

Kogan (1995) developed Vegetation Condition Index (VCI) using the range of NDVI as under,

$$VCI = \frac{(NDVI - NDVI \min)}{(NDVI \max - NDVI \min)} * 100$$

The current drought assessment expressed as percentage of deviation of NDVI and NDWI based on 10 year NDVI and NDWI index values. The minimum and maximum value of NDVI and NDWI, the VCI discriminated between the weather components.

1.3 Methodology




Figure 2: Flow chart of drought assessment methodology

The methodology to assess and monitor the agricultural conditions and situation in the state at district and Mandal level uses IRS Resourcesat-2 AWiFS data. Indian Remote Sensing satellite (IRS) Resourcesat-2 having Advanced Wide Imaging Field Sensor (AWiFS) payload collects data in two spectral bands 0.62-0.68 μm (red) and 0.77-0.86 μm (near infrared) with spatial resolution of 56 m and ground swath of 740 km with a revisit period of 5 days. Along with this MODIS 250/500 m satellite data provide spectra, radiometric and spatial resolutions products for better monitoring of the agriculture. The combination of AWiFS and MODIS is useful to increase the frequency of images.

The different activities carried out through ISMS commence with acquisition of MODIS (250 m) and AWiFS (56 m) satellite data. The satellite data being processed and NDVI and NDWI indices are developed. Based on these indices deviation with respect to normal year (2013) is calculated and Mandal wise statistics are derived. The agricultural situation is assessed incorporating rainfall deviation, command and non command areas, dry spell, drought prone border line areas, crop sown area progress and ground truth along with satellite derived indices. The flow chart of methodology is shown in Figure 2.

3. Present status up to Month of August 2019

3.1. Vegetation index

The Normalized Difference of Vegetation Index (NDVI) for the Month of August 2019 is shown in the figures and also compared with 2018 and 2017. The year 2013 is treated as a normal year. Mandal wise NDVI, monthly agricultural situation for the year 2019, 2018 and 2017, deviation of NDVI w.r.t. 2013 are shown in the Figures 3,4,5, 6 and 7 respectively. As per NDVI deviation w.r.t normal moderate stress is observed in Jogulamba Gadwal, Karimnagar, Nalgonda, Narayanpet, Suryapet, and Yadadri Bhongiri Districts.




Figure 3: NDVI - MODIS: Month of August 2019

Government of Telangana
MODIS (250m) Mandal Wise NDVI
 Agricultural Situation for the Year 2019 & 2013




Figure 4: NDVI - MODIS, Fortnightly agricultural situation from August 2019 and 2013

Government of Telangana
Normalized Difference Vegetation Index
MODIS (250m) Mandal Wise




Figure 5: NDVI - MODIS, Yearly agricultural situation from August 2019, 2018 and 2017




Figure 6: NDVI - MODIS, Monthly agricultural situation from June, July and August 2019




Figure 7: NDVI deviation (MODIS - 250m), Month of August 2019 w.r.t. 2013

3.2. Surface wetness indicator

The map indicates status of moisture availability in soil as well as in crop canopy for the Month of August 2019. The year 2013 is treated as a normal year. Mandal wise Normalized Difference Water Index (NDWI) situation the year 2019, 2018 & 2017, Monthly agricultural situation deviation of NDWI w.r.t. 2013 are shown in the Figures 8, 9, 10, 11 and 12 respectively. As per NDWI deviation w.r.t normal, moderate stress is observed in few parts of Jogulamba Gadwal, Khammam, Mahabubnagar, Medak, Nagarkurnool, Nalgonda, Narayanpet, Rangareddy, Siddipet, Suryapet, Wanaparthi and Warangal Rural Districts.




Figure 8: NDWI - MODIS: Month of August 2019

Government of Telangana
MODIS (250m) Mandal Wise NDWI
 Agricultural Situation for the Year 2019 & 2013




Figure 9: NDWI - MODIS, Fortnightly agricultural situation from August 2019 and 2013

Government of Telangana
Normalized Difference Water Index
MODIS (250m) Mandal Wise




Figure 10: NDWI - MODIS, Yearly agricultural situation from August 2019, 2018 and 2017




Figure11: NDWI - MODIS, Monthly agricultural situation from June, July and August 2019

Government of Telangana
Normalized Difference Water Index
Deviation for the First Fortnight of August 2019 w.r.t 2013




Figure 12: NDWI deviation (MODIS - 250m), Month of August 2019 w.r.t. 2013

3.3. District Wise NDVI / NDWI / VCI Status

NDVI/NDWI/VCI status as on 31/08/2019, Telangana								
S. No	District	NDVI Value	Average NDVI	NDWI Value	Average NDWI	VCI (NDVI)	VCI (NDWI)	VCI Condition
1	Adilabad	0.64	0.59	0.50	0.47	79.62	75.83	Normal
2	Bhadradri-Kothagudem	0.53	0.52	0.44	0.43	66.77	66.81	Normal
3	Hyderabad	0.16	0.24	0.11	0.15	32.25	35.22	Moderate
4	Jagtial	0.59	0.61	0.54	0.50	61.97	77.49	Normal
5	Jangaon	0.63	0.58	0.47	0.42	86.10	86.19	Normal
6	Jayashankar-Bhupalpally	0.43	0.44	0.40	0.36	58.21	68.03	Normal
7	Jogulamba-Gadwal	0.32	0.36	0.15	0.18	43.47	41.32	Mild
8	Kamareddy	0.67	0.58	0.55	0.47	92.49	92.69	Normal
9	Karimnagar	0.58	0.55	0.51	0.45	73.72	84.64	Normal
10	Khammam	0.58	0.58	0.44	0.45	64.13	59.23	Normal
11	Komaram Bheem-Asifabad	0.43	0.47	0.39	0.39	53.42	61.84	Normal
12	Mahabubabad	0.59	0.59	0.46	0.47	62.95	67.23	Normal
13	Mahabubnagar	0.41	0.45	0.29	0.31	55.23	52.98	Mild
14	Mancherial	0.46	0.46	0.43	0.37	61.02	79.15	Normal
15	Medak	0.61	0.56	0.48	0.45	79.18	76.26	Normal
16	Medchal-Malkajgiri	0.46	0.45	0.32	0.32	67.87	60.67	Normal
17	Mulug	0.38	0.44	0.43	0.40	42.17	64.86	Normal
18	Nagarkurnool	0.43	0.40	0.27	0.24	68.00	65.43	Normal
19	Nalgonda	0.49	0.48	0.31	0.32	70.97	58.22	Normal
20	Narayanpet	0.44	0.38	0.29	0.23	77.09	79.98	Normal
21	Nirmal	0.61	0.52	0.50	0.43	85.20	83.45	Normal
22	Nizamabad	0.66	0.58	0.56	0.48	89.93	95.36	Normal
23	Peddapalli	0.55	0.52	0.49	0.43	70.56	86.07	Normal
24	Rajanna-Siricilla	0.63	0.59	0.52	0.45	75.07	86.84	Normal
25	Rangareddy	0.49	0.47	0.34	0.33	69.07	62.13	Normal
26	Sangareddy	0.56	0.51	0.44	0.41	77.05	74.82	Normal
27	Siddipet	0.62	0.57	0.47	0.43	81.95	77.64	Normal
28	Suryapet	0.51	0.54	0.42	0.43	56.17	68.42	Normal
29	Vikarabad	0.45	0.46	0.35	0.35	62.10	64.49	Normal
30	Wanaparthy	0.35	0.41	0.26	0.28	42.70	53.21	Mild
31	Warangal Rural	0.57	0.54	0.48	0.43	70.73	76.89	Normal
32	Warangal Urban	0.58	0.54	0.47	0.41	79.65	84.76	Normal
33	Yadadri-Bhongir	0.60	0.54	0.41	0.38	90.27	77.21	Normal

Table. 3 District wise NDVI / NDWI / VCI Status

*Normalized Difference Vegetative Index (NDVI) Value - Current year NDVI

*Normalized Difference Wetness Index (NDWI) Value - Current year NDWI

*Average NDVI - Average of previous 16 years NDVI

*Average NDWI - Average of previous 16 years NDWI

*VCI (NDVI) - Vegetation Condition Index based on NDVI

*VCI (NDWI) - Vegetation Condition Index based on NDWI

*NDVI/NDWI Condition - VCI>=60 (Normal), VCI>=40 (Mild), VCI>=20 (Moderate), VCI<20 (Severe)

3.4. Rainfall data

The status of rainfall as on 31st August 2019 is shown in Table.4.

- **4 Mandals (1%)** of the state received **Large Excess** (+60% and above) rainfall.
- **39 Mandals (7%)** of the state received **Excess** (+20% to +59%) rainfall.
- **335 Mandals (57%)** have received **Normal** (+19% to -19%) rainfall.
- **205 Mandals out of 589 (35%)** of state received **Deficient** (-20% to -59%) rainfall.
- **6 Mandals (1%)** of the state received **Large Deficient** (-60% to -99%) rainfall.

Table. 4. Rainfall status as on 31st August 2019

S. No	District Name	Large Excess	Excess	No Rain	Normal	Deficient	Large Deficient	Total
1	Adilabad				11	7		18
2	Bhadradri Kothagudem		3		14	6		23
3	Hyderabad				6	10		16
4	Jagtial	1			15	2		18
5	Jangoan	1			7	3	1	12
6	Jayashankar Bhupalpally		3		7	1		11
7	Jogulamba Gadwal				4	8		12
8	Kamareddy		1		15	6		22
9	Karimnagar	1	2		12	1		16
10	Khammam				8	13		21
11	Kumurambheem Asifabad		3		12			15
12	Mahabubabad		1		4	11		16
13	Mahabubnagar		1		12	2		15
14	Mancherial				12	6		18
15	Medak		2		10	8		20
16	Medchal Malkajgiri				5	10		15
17	Mulugu		6		3			9
18	Nagarkurnool	1	1		13	4	1	20
19	Nalgonda				13	16	2	31
20	Narayanpet		2		8	1		11
21	Nirmal				10	9		19
22	Nizamabad		2		22	5		29
23	Peddapalli		1		9	4		14
24	Rajanna Sircilla		2		11			13
25	Rangareddy				17	10		27
26	Sangareddy				9	17		26
27	Siddipet		2		18	3		23
28	Suryapet		1		4	17	1	23
29	Vikarabad		1		9	8		18
30	Wanaparthy		2		9	3		14
31	Warangal Rural				11	5		16
32	Warangal Urban		3		8			11
33	Yadadri Bhongir				7	9	1	17
	Total	4	39		335	205	6	589

SOURCE: DE&S

Government of Telangana
Mandal Wise Deviation of Rainfall from Normal
From 01st August 2019 to 07th August 2019




Figure 13: Deviation of rainfall in percent w.r.t. normal from August 01st to August 07th, 2019

Government of Telangana
Mandal Wise Devialn of Rainfall from Normal
From 01st August 2019 to 15th August 2019




Figure 14: Deviation of rainfall in percent w.r.t. normal from August 01st to August 15th, 2019

Government of Telangana
Mandal Wise Deviation of Rainfall from Normal
From 16th August 2019 to 22nd August 2019




Figure 15: Deviation of rainfall in percent w.r.t. normal from August 16th to August 22nd, 2019

Government of Telangana
Mandal Wise Deviation of Rainfall from Normal
 From 23rd August 2019 to 31st August 2019




Figure 16: Deviation of rainfall in percent w.r.t. normal from August 23rd to August 31st, 2019

Government of Telangana
Mandal Wise Deviation of Rainfall from Normal
From 01st June 2019 to 31st August 2019




Figure 17: Deviation of rainfall in percent w.r.t. normal from June 01st to August 31st, 2019

3.5. Dry Spell

A dry spell is a short period, usually 4 weeks (up to 3 weeks in case of light soils), of low rainfall or no rainfall. Thus, consecutive 3-4 weeks after the due date for the onset of monsoon with rainfall less than 50% of the normal in each of the weeks is defined as a Dry spell. In State **174 Mandals** experienced **one dry spell**, **39 Mandals** experienced **two dry spell** up to Month of August, 2019. The distribution of the Mandals under dry spell category is shown in Figure: 18 and Table 5.

09 Mandals in the state have recorded **one dry spell** with **excess** rainfall, **82 Mandals** in the state have recorded **one dry spell** with **Normal** rainfall, **3 Mandals** have recorded **one dry spell** with **large deficient** rainfall, **80 Mandals** have recorded **one dry spell** with **deficient** rainfall.

8 Mandals have recorded **two dry spell** with **normal** rainfall, **1 Mandal** have recorded **two dry spell** with **large deficient** rainfall, **30 Mandals** have recorded **two dry spell** with **deficient** rainfall. (Figure: 19).




Figure 18: Dry spells from June 01st to August 15th, 2019

Government of Telangana
Mandal wise Dryspells and Rainfall Status
 From 1st June 2019 to 31st August 2019




Figure 19: Dry spells With Rainfall Status from June 01st to 31st August, 2019

Table 5. Mandal wise Dry Spells

District Name	One Dry Spell (174)	Two Dry Spell (39)
Adilabad	Total: 07 Bazarhathnoor, Bela, Bheempoor, Boath, Gudihathnur, Talamadugu, Tamsi.	Total: 07 Adilabad Urban, Ichoda, Inderavelly, Mavala, Neradigonda, Sirikonda, Utnur.
Bhadradi Kothagudem	Total: 06 Annapureddipalle, Aswapuram, Dummugudem, Karakagudem, Manuguru, Mulakalapalle.	Total: 04 Chandrugonda, Gundala, Julurpad, Sujathanagar.
Hyderabad	Total: 02 Bahadurpura, Bandlaguda.	
Jagtial	Total: 02 Buggaram, Gollapalle.	
Jangaon	Total: 02 Kodakandla, Lingalaghanpur.	Total: 02 Chilpur, Tharigoppula.
Jogulamba Gadwal	Total: 04 Dharur, Gadwal, Kaloor Timmanadoddi, Maldakal.	
Jayashankar Bhupalpally	Total: 04 Kataram, Mahadevpur, Mutharam Mahadevpur, Palmela.	
Kamareddy	Total:06 Banswada, Domakonda, Jukkal, Machareddy, Madnur, Nasurullabad.	Total: 01 Pedda Kodapgal.
Karimnagar	Total: 02 Gangadhara, Ramadugu.	
Khammam	Total: 12 Enkuru, Kamepalle, Khammam Urban, Kusumanchi, Mudigonda, Nelakondapalle, Raghunadhapalem, Sathupalle, Singareni, Thirumalayapalem, Vemsoor, Yerrupalem.	Total: 03 Bonakal, Madhira, Penuballi.
Komaram Bheem Asifabad	Total: 07 Bejjur, Dahegaon, Jainoor, Lingapur, Penchikalpet, Sirpur T, Sirpur U.	
Mahabubabad	Total: 05 Danthalapalle, Garla, Gudur, Narsimhulapet, Peddavangara.	Total: 01 Nellikudur.
Mahabubnagar	Total: 03 Balanagar, Koilkonda, Musapet.	
Mancherial	Total: 15 Bellampalle, Bheemini, Bhimaram, Chennur, Hajipur, Jaipur, Kannepalli, Kasipet, Kotapalle, Mandamarri, Naspur, Nennal, Tandur, Vemanpalle.	
Medak	Total: 03 Kowdipalle, Narsingi, Tekmal.	Total: 01 Narsapur.
Medchal Malkajgiri	Total: 01 Medchal.	
Mulugu	Total: 04 Eturunagaram, Kannaigudem, Tadvai, Wazeed.	

Nagarkurnool	Total: 02 Urkonda, Vangoor.	
Nalgonda	Total: 11 Adavi devula palli, Gurrampode, Kattangoor, Kondamallapally, Marriguda, Nakrekal, Nidamanur, Peddavura, Saligouraram, Thipparthi, Tirumalagiri Sagar.	Total: 04 Anumula Haliya, Chityala, Neredugommu, Vemulapalle.
Nirmal	Total: 07 Kaddampeddur, Khanpur, Kuntala, Laxmanchanda, Mamda, Nirmal Rural, Sarangapur.	Total: 04 Dilawarpur, Kubeer, Narsapur G, Pembi.
Nizamabad	Total: 16 Armur, Bodhan, Dichpalle, Indalwai, Jakranpalle, Kammarpalle, Kotgiri, Makloor, Mugpal, Mupkal, Nizamabad North, Nizamabad South, Rudrur, Sirkonda, Vailpur, Varni.	Total: 01 Nizamabad Rural.
Peddapalli	Total: 02 Antargoan, Manthani.	
Rajanna Sirsilla	Total: 03 Boinpalle, Mustabad, Vemulawada.	
Rangareddy	Total: 06 Farooqnagar, Gandipet, Kandukur, Madgul, Rajendranagar, Shamshabad.	Total: 01 Shankarpalle.
Sangareddy	Total: 06 Jinnaram, Manoor, Nagalgidda, Naykal, Patancheruvu, Sirgapor.	Total: 01 Zahirabad.
Siddipet	Total: 04 Bejjanki, Jagadevpur, Komaravelly, Maddur.	
Suryapet	Total: 13 Atmakur S, Chilkur, Chinthala palem, Jajireddigudem, Maddirala, Mellachervu, Munagala, Nadigudem, Nagaram, Neredcherla, Noothankal, Suryapet, Thirumalagiri.	Total: 04 Ananthagiri, Huzur nagar, Kodad, Penpahad.
Vikarabad	Total: 05 Kulkacharla, Mominpet, Nawabpet, Pargi, Pudur.	Total: 01 Marpalle.
Wanaparthy	Total: 02 Amarchinta, Atmakur.	
Warangal Rural	Total: 04 Duggondi, Geesugonda, Nekkonda, Sangem.	
Yadadri Bhongir	Total: 08 Addagudur, Bhongiri, Gundala, Mootakondur, Mothkur, Narayanapur, Rajapet, Yadagirigutta.	Total: 04 Atmakur M, Bibinagar, Bommalararam, Choutuppal.

3.6. Drought situation of Mandals

3.6.1 Composite criteria

The drought situation in the state is assessed using different indicators viz., NDVI, NDWI and rainfall deviation of mandals. Compositing all indicators, mandals were categorised into Normal, Watch and Alert. Mandal wise analysis for the Month of August 2019 indicated “Normal” agricultural situation in 348 Mandals. The agricultural situation is categorized as “Watch” in 197 and "Alert" in 44 Mandals. The Mandals under Watch and Alert categories are given in the Table.6 and their spatial distribution is shown in Figure 20.




Figure 20: Mandal wise drought assessment based on ISMS criterion

Table.6. Mandals under Watch and Alert category based on ISMS criteria

District Name	Watch(197)	Alert(44)
Adilabad	Total: 05 Bela, Bheempoor, Mavala, Sirikonda, Talamadugu.	Total: 04 Ichoda, Inderavelly, Neradigonda, Utnur.
Bhadradri Kothagudem	Total: 07 Annapureddipalle, Aswapuram, Dummugudem, Julurupad, Karakagudem, Manuguru, Sujathanagar.	Total: 01 Chandrugonda, Gundala.
Jagtial	Total: 03 Buggaram, Jagityal Rural, Jagtial.	
Jangaon	Total: 02 Ghanpur (Stn), Kodakandla.	Total: 02 Chilpur, Tharigoppula.
Jogulamba	Total: 04 Aiza, Alampur, Itikyala, Waddepally.	Total: 07 Dharoor, Gadwal, Ghattu, Kaloor Thimmandoddi, Maldakal, Manopad, Rajoli.
Jayashankar Bhupalpally	Total: 03 Bhupalpally, Palmela, Regonda.	Total: 01 Mutharam Mahadevapur
Kamareddy	Total: 04 Banswada, Madnur, Nasurullabad, Pedda Kodapgal.	
Karimnagar	Total: 02 Ramadugu, Veenavanka.	
Khammam	Total: 13 Bonakal, Enkoor, Kalluru, Kusumanchi, Mudigonda, Raghunadhapalem, Sathupally, Singareni, Thallada, Tirumalayapalem, Vemsoor, Wyra, Yerrupalem.	Total: 02 Madhira, Penuballi.
Kumurambheem Asifabad	Total: 01 Bejjur.	
Mahabubabad	Total: 09 Chinnagudur, Danthalapalle, Garla, Gudur, Kuravi, Mahabubabad, Narsimhulapet, Nellikudur, Peddavangara.	
Mahabubnagar	Total: 11 Addakal, Balanagar, Bhoothpur, Chinna Chinta Kunta, Ganded, Jadcherla, Koilkonda, Mahabubnagar Urban, Midjil, Moosapet, Rajapur.	
Mancherla	Total: 06 Bheemini, Hajipur, Jaipur, Kasipet, Kotapalle, Tandur.	Total: 01 Kannepalli.
Medak	Total: 06 Alladurg, Chilipched, Kowdipally, Manoharabad, Shivampet, Tekmal.	Total: 01 Narsapur.
Medchal Malkajgiri	Total: 03 Alwal, Dundigal Gandimaisamma, Ghatkesar.	
Mulugu	Total: 03 Kannaigudem, Mulug, Tadvai (Sammakka Sarakka)	

Nagarkurnool	Total: 10 Balmoor, Charakonda, Kodair, Kollapur, Lingal, Peddakothapalle, Telkapalle, Urkonda, Vangoor, Veldanda.	Total: 01 Pentlavelli.
Nalgonda	Total: 19 Chandur, Chinthapally, Damaracherla, Devarakonda, Gundlapally, Gurrampode, Kattangur, Kondamallapally, Madugulapally, Marriguda, Nakrekal, Nalgonda, Nampally, Nidamanoor, Peda Adisharla Palli, Shaligouraram, Tippiarthy, Tirumalagiri_Sagar, Vemulapally.	Total: 06 Adavidevulapally, Anumula Haliya, Chityal, Neredugommu, Peddavoora, Tripuraram.
Narayanpet	Total: 01 Makthal.	
Nirmal	Total: 06 Dilawarpur, Kubeer, Laxmanchanda, Narsapur G, Nirmal Rural, Pembli.	
Nizamabad	Total: 06 Dichpally, Jakranpally, Kotagiri, Mugpal, Rudrur, Varni.	
Peddapalli	Total: 01 Anthergaon.	
Rangareddy	Total: 07 Abdullapurmet, Farooqnagar, Keshampeta, Madgul, Nandigama, Shamshabad, Talakondapally.	Total: 03 Gandipet, Kothur, Shankarpalle.
Sangareddy	Total: 12 Ameenpur, Gummadidala, Jinnaram, Kandi, Kondapur, Munipally, Narayankhed, Nyalkal, Sadasivpet, Sangareddy, Sirgapor, Zahirabad.	Total: 03 Nagalgidda, Patancheruvu, Ramachandrapuram.
Siddipet	Total: 08 Doultabad, Gajwel, Jagdevpur, Komuravelli, Maddur, Narayanraopet, Raipole, Thoguta.	
Suryapet	Total: 18 Ananthagiri, Chilkur, Garidepalli, Huzur nagar, Jajireddigudem, Kodad, Maddirala, Mattampalli, Mellachervu, Munagala, Nadigudem, Nagaram, Nereducherla, Noothankal, Palakeedu, Suryapet, Thungathurthy, Tirumalagiri.	Total: 02 Chinthala palem, Penpahad.
Vikarabad	Total: 05 Kulkacharla, Marpalle, Pargi, Pudur, Vikarabad.	Total: 01 Nawabpet.
Wanaparthy	Total: 11 Chinnambavi, Ghanpur, Gopalpet, Kothakota, Madanapur, Pangal, Pebbair, Peddamandaddi, Revally, Srirangapur, Weepangandla.	Total: 03 Amarchintha, Atmakur, Wanaparthy.
Warangal Rural	Total: 05 Damera, Duggondi, Geesugonda, Khanapur, Nekkonda.	
Yadadri Bhongir	Total: 06 Addagudur, Bhongiri, Gundala, Mothkur, Narayanapoor, Yadagirigutta.	Total: 05 Athmakur (M), Bibinagar, Bommalararamam, Choutuppal, Motakondur.

3.7. Reservoir water levels

All the major reservoirs are holding 1006 TMC as on 31-08-2019, and as on date last year the level had stood at 1040 TMC. The details of water levels of all major reservoirs as on 31-08-2019 are furnished hereunder in Table.7.

Table.7. Reservoir Water Levels

PARTICULARS OF MAJOR RESERVOIRS AS ON 31/August /2019										
SI No	Reservoir Name	Time	FRL	Gross Capacity	THIS YEAR				LAST YEAR	
					As on 31 / August / 2019				As on 31 / August / 2018	
			(feet)	(TMC)	Level (in feet)	Gross Storage (TMC)	Inflow (Cusecs)	Outflow (Cusecs)	Level (in feet)	Gross Storage (TMC)
Krishna Basin										
1	Almatti	09:29	1705	129.721	1704.72	128.19	12825	12825	1704.4	126.38
2	Jurala	09:14	1045	9.657	1043.18	8.53	2395	5381	1044.98	9.65
3	Nagarjunasagar	09:16	590	312.045	588	306.1	2314	19420	582	288.78
4	Narayanapur	09:30	1615	37.646	1614.99	37.64	14333	14179	1613.35	35.57
5	Srisaïlam	09:15	885	215.807	879.4	185.14	15137	30026	882.8	203.43
6	Tungabhadra	09:15	1633	100.86	1633	100.86	11448	11448	1632.95	100.66
7	Ujjaini	09:13	1630	117.24	1630	117.24	1482	4685	1630	117.24
Godavari Basin										
8	Jaikwad	09:17	1522	102.732	1519.25	91.63	4434	3141	1510.84	62.5
9	Kaddam	09:19	700	7.6	697.68	7.01	2158	873	698	7.09
10	Lower Manair Dam	09:19	920	24.074	886	4.66	13724	216	888.9	5.601
11	Nizam sagar	09:18	1405	17.803	1368.56	0.15	25	10	1384.75	2.32
12	Singur	09:18	1717.93	29.91	1670.47	0.45	20	20	1697.08	7.7
13	Sri Ram Sagar	09:19	1091	90.313	1063.6	18.16	0	400	1086.8	72.59

Source: Irrigation Department, Hyderabad

3.8. Crop Sowing Progress

For the end of 28th August 2019, the total area sown in the state is **3879493** ha as against the normal sown area of **4334487** hectare as on date. The details are shown in Figure 21 and the deviation graph is shown in Figure 22.




Figure 21: District wise deviation from normal crop sown area as on date 28-08-2019

Table 8: District Wise Crop Sowing Area - Up to the week ending 28-08-2019

S. No	District Name	Normal (ha)	Actual (ha)	Deviation %
1	Khammam	230498	158108	-31.41
2	Suryapet	157521	127400	-19.12
3	Jogulamba Gadwal	133468	108045	-19.05
4	Nagarkurnool	216703	175699	-18.92
5	Rangareddy	167894	138054	-17.77
6	Siddipet	195839	161730	-17.42
7	Medchal Malkajgiri	7183	5935	-17.37
8	Jangaon	107473	88825	-17.35
9	Mahabubabad	120876	100284	-17.04
10	Mulugu	54281	45182	-16.76
11	Warangal Rural	138259	116084	-16.04
12	Yadadri Bhuvanagiri	123426	104844	-15.06
13	Nalgonda	335088	285105	-14.92
14	Medak	83373	71772	-13.91
15	Jayashankar Bhupalpally	85228	74510	-12.58
16	Narayanpet	137387	120253	-12.47
17	Mahabubnagar	117368	102990	-12.25
18	Wanaparthy	80405	70567	-12.24
19	Bhadradi Kothagudem	124651	112437	-9.80
20	Sangareddy	224132	203401	-9.25
21	Vikarabad	172153	156295	-9.21
22	Warangal Urban	55790	51148	-8.32
23	Peddapalle	85953	82878	-3.58
24	Jagtial	119149	116239	-2.44
25	Nizamabad	169540	167138	-1.42
26	Hyderabad	0	0	0.00
27	Adilabad	193072	194308	0.64
28	Karimnagar	111169	112280	1.00
29	Mancherial	94260	96754	2.65
30	Kamareddy	145275	151898	4.56
31	Nirmal	145982	158824	8.80
32	Kumarambheem Asifabad	124465	135792	9.10
	Total	4334487	3879493	




Figure 22: District wise deviation (graph) from normal crop sown area as on date 28-08-2019

4. References

Department of Agriculture and Cooperation, 2009, Manual for Drought Management, Ministry of Agriculture, Govt. of India, New Delhi.

<http://drought.unl.edu/portals/0/docs/international/GovtIndiaDroughtManual.pdf>

Department of Agriculture, 2017, Season and Crop Coverage Report, Kharif - 2017, Govt. of Telangana

Kogan FN, 1995, Droughts of late 1980s in the USA as derived from NOAA polar orbiting satellite data, Bulletin of American Meteorological Society, 76: 655-668

Malingreau JP, 1986, Global vegetation dynamics: Satellite observations over Asia, International Journal of Remote Sensing, 7: 1121-1146.

Tucker CJ and Chowdhary BJ, 1987, Satellite remote sensing of drought conditions, Remote Sensing of Environment, 23: 243-251

